

2 Brands, ONE Great Company





The only North American-based manufacturer of compact cleaning and maintenance vehicles

EXPROLINK AT A GLANCE


Place your trust in North America's sole manufacturer of compact cleaning and maintenance vehicles. Rated #1 awarded vendor within its product category by Sourcewell in 2021!

Our brands are designed to meet all types of outdoor maintenance and cleaning needs.
They have proven to be indispensable assets for thousands of private and public sector organizations around the world. We strive to fulfill the ever-changing needs of cities, institutions and businesses by offering a superior line of ecoefficient products.



"Our Madvac/ Excelway brands have more than 35 years of existence, with 8000 + units sold worldwide."





Founding of a product management company destined to the global environmental market

Acquisition of the Madvac product line

Launch of Vocational Electrification Vehicle (VEV) program Opening of 3 sales office in the USA

Acquisition of the Excelway product line from AUSA

Opening of Exprolink Corp new parts, service, assembly and logistics facility in the USA

















2 | Exprolink | 3





ST Excelway®



New multiservice vehicle model DV 17/17C



Dedicated mechanical sweeper based on a dumper model B120RM



First 1,5-ton multiservice vehicle model M150M




First vacuum sweeper multiservice vehicle model B300/400H



New generation multiservice vehicles series M/B 200H



New B200 Tier 4 and new B400 VEV



First mechanical outdoor litter vacuum model 101D



Portable litter vacuum model LP61 diesel



Compact sweeper model CN100



Litter vacuum models LN/LR50 replacing model 101D



Compact sweeper model LS175 replacing model CN100



Litter vacuum VEV models
LN/LR50





4 | Exprolink

WITH BOOM





- All-terrain litter vacuum for parks, parking lots, sidewalks, alleys, downtown districts, and more
- Battery pack offers up to 9hr autonomy on a single charge



LN50 VEV





- Identical to LN50, but with closed cabin and 6-position robotic joystick
- Optional 48 inch wide vacuum head for effortless litter pick-up
- Electric version available



LR50



- · Your 'must-have' portable vacuum for fence lines, roadside litter, shelters, trails, ditches, and other wind-blown trash areas
- Suction hose up to 50 feet long
- · Available skid mount or trailer mount



LP61-G

WITH BRUSHES





- Only 48 inches wide, specifically designed for sidewalks and pathways, bike lanes, parking lots, alleys and other locations that bigger sweepers can't manage
- Optional retractable wander hose and pressure washer gun



LS175







- Electric sweeper with 70 kw/h battery pack that offers up to 9h autonomy
- The only 48-inch-wide machine of this kind built in North America!
- 78 inches tall ideal for parking decks and other height constraint locations
- Litter capacity of 1.25 cu.yd. with 3 stage-filtration process
- Noise reduction of 10 dBs or 10 times less noisy than diesel version
- ROI between 3 to 4 years without
- GhG reduction of 30+ tons per year
- · Strategic partnership with leading company Zero Motorcycles
- Best "energy per weight and volume" ratio in the industry
- · California based know-how and proven technology

LS125 VEV



Exprolink | 7 6 | Exprolink

COMPACT SWEEPERS CLEANING SOLUTIONS







- Compact vacuum sweeper-only machine for bike lanes, streets, parking lots and more
- Optional 3 rd brush
- 2WD with optional 4WD and 4-wheel steer







- · Robust, 4WD rear steer mechanical sweeper designed for challenging debris such as broken glass, sand,
- Easy to operate optional pressure washer gun for additional cleaning







- Coming in 2023
- Electric, 5.2 cubic yard street sweeper with 9hr autonomy on a single charge
- Optional 3rd brush
- Winter attachments and other multi-use possibilities

B400 VEV



COMPACT MULTI-PURPOSE MAINTENANCE SOLUTIONS





- Patented iLink technology for quick and easy transition attachments on B200-M and M200 models
- Vehicle automatically recognises the attachment being connected
- Rear attachments only 4 simple anchor points







- B200-S with iLink system for all-season cleaning and maintenance attachments
- · Snowplow, snow broom, salt spreader, and more
- Reduce fleet count or increase cleaning and maintenance possibilities without impacting fleet size

B200-M





- Same machine as B200-M with iLink system but no sweeper brushes / hopper
- Dumper, dry box, washer with telescopic bar / 528 gal. (2000 L) water tank, and more

M200



Exprolink | 9 8 | Exprolink





EXCELWAY PRODUCTS LINE CARD

BD202



B400 VEV

	LP61-G	LN50	LR50	LS125	LS175
Power	Gas	Electric	Electric	Electric	Diesel
All-Terrain	N/A	Yes	Yes	No	No
Closed Cabin	N/A	No	Yes	Yes	Yes
Climate Control	N/A	Heating (Optional)	Heating (Optional)	AC & Heating	AC & Heating
Litter Capacity	50 gal. (190 L)	75 gal. (284 L)	75 gal. (284 L)	252 gal. (954 L)	353 gal. (1336 L)
Tip to Dump	N/A	No	No	Yes	Yes
Bag System	Yes	Yes	Yes	N/A	N/A
Bagless Debris System Kevlar Bin	Optional	Optional	Optional	N/A	N/A
Vacuum Head	N/A	Optional	Optional	Yes	Yes
Wander Hose	N/A	Optional	Optional	Optional	Optional
Power Wash	N/A	No	No	Optional	Optional
Height	Skid mount: 49.5 in. (1257 mm)	92 in. (2337 mm)	104 in. (2641 mm)	78 in. (1981 mm)	With bag filtration system: 86 in. (2184 mm)
Weight	Skid mount: 750 lbs (340 kg)	Electric: 2356 lbs (1069 kg)	Electric: 2692 lbs (1221 kg)		5600 lbs (2540 kg)
	Trailer mount: 952 lbs (425 kg)	Diesel: 2574 lbs (1168 kg)	Diesel: 2910 lbs (1320 kg)	5375 lbs (2438 kg)	
Engine / Power Pack	Vanguard 400	Electric: Lithium-Ion NMC	Electric: Lithium-Ion NMC		Hatz engine 3H50TIC 3 Cyl. turbo with CAC / DOC only
		Kubota Diesel D1105-E48 (EPA Tier 4 Final)	Kubota Diesel D1105-E48 (EPA Tier 4 Final)	Electric: Lithium- Ion NMC	
Gross Rated Power	10.4 KW (14 HP) @ 3500 RPM	Electric: up to 28.8 kW/h	Electric: up to 28.8 kW/h		
		Diesel: 18.5 kW (24.8 HP) @ 3200 RPM	Diesel: 18.5 kW (24.8 HP) @ 3200 RPM	Electric: up to 62.4 KW/h	44.0 kW (58.5 HP) @ 2800 RPM

- All vehicles only 48 in. (1219 mm) wide
- Do NOT require a CDL to operate
- ▶ Have dust control elements



madvac.com

•	All models have water, and water recirculation filtration system
	2 seats in cah

No CDL required to operate

Power	Diesel	Diesel	Diesel	Electric
Sweeping type	Mechanical	Vaccum	NA	Vacuum
3rd Brush	NA	Optional	NA	Optional
Water tank capacity	92.5 gal. (350 L)	79 gal. (300 L)	NA	152 gal. (580 L)
Traction/Steering	4WD/RWS	4WD optional/4WS	4WD/4WS optional	Optional 4WD/FWS
Multi-Purpose	Optional	Optional	Yes	Yes
Close Cabin	Optional	Yes	Yes	Yes
Climate Control	AC & Heating (optional)	AC & Heating	AC & Heating	AC & Heating
Hopper Capacity	1.17 cu yd. (0.9 cu m.)	2.6 cu yd. (2 cu m.)	By application	5.2 cu yd. (4 cu m)
Payload	2,200 lbs (100 kg)	3,300 lbs (1500 kg)	5,500 lbs (2500 kg)	4,850 lbs (2,200 kg)
GWVR	7275 lbs (3,300 kg)	11,023 lbs (5,000 kg)	11,023 lbs (5,000 kg)	14,110 lbs (6,400 kg)
Height Width	90 in (2286 mm) 86 in. (2184 mm)	79 in (2006 mm) 52 in. (1320 mm)	79 in (2006 mm) 52 in. (1320 mm)	90 in (2286 mm) 67 in. (1702 mm)
Wander Hose	NA	optional	optional	optional
Power Wash	optional	optional	optional	optional
Engine/ Power Pack	Kubota V1505-E4B	DEUTZ TCD 2.2 *No DEF RQD	DEUTZ TCD 2.2 *No DEF	Lithium-lon NMC
Maximum speed	12.4 mph (20 km/h)	15.5 & 25 mph (25 & 40 km/h)	15.5 & 25 mph (25 & 40 km/h)	50 mph (80 km/h)
Gross Rated Power	18.5 kw (24.8 HP)	55 kw (75 HP)	55 kw (75 HP)	Electric: up to 100 kw/h

B200

M200

er



excelwayusa.com

10 | Exprolink

THE FOCUS FOR EXPROLINK IS ECO-EFFICENT


VEV ELECTRIFICATION PROGRAM FOR ALL MODELS





ENGINE RIGHT-SIZING OPTIMIZATION ON DIESEL MODELS


AIMING BEST INDUSTRY RATIO OF SPECIFIC FUEL CONSUMTION (SPC)






CHASSIS USAGE OPTIMIZATION WITH REAL 4WD MULITI-PURPOSE


AIMING LONGEST USAGE OF FLEET UNIT BY YEAR





EMPLOYEE AND COMMUNITY WELLNESS

PROMOTING MACHANICAL CLEANING AND MAINTENANCE







ELECTRIFIED MADVAC LINE



LP61-G WITH ELECTRIC COMPACTOR ON TRAILER



EXPROLINK/ OMEGA
ELECTRIC VACUUM VEHICLE



EXPROLINK ELECTRIC COMPACTOR VEHICLE

12 | Exprolink



Exprolink Inc.

Montreal

1-855-651-0444 (USA/Canada) 450-651-0444 (International) Head Office and Manufacturing



North Carolina

Raleigh
919-215-4675
Sales Office
Parts and service
Assembly & Logistics

Texas

Houston 832-948-9636 Sales Office

California

Los Angeles 415-971-0264 Sales Office



